Preliminary Amendment March 22, 2005

Amendments to the Claims:

Sent By: LAW OFFICES;

This listing of claims will replace all prior versions, and listings, of claims in the application:

<u>Listing of Claims</u>:

- 1. (Currently Amended) A nipple cover, said nipple cover being adapted to cover a for covering portion of a human breast, said nipple cover being manufactured from comprising a flexible material and being formed substantially in the shape of a hollow curved surface and having an inner surface and an outer surface, wherein said outer surface is substantially smooth, and wherein said inner surface has disposed thereon is adapted for receiving an adhesive means for connecting said nipple cover to a human body, and wherein the nipple cover has a first thickness proximate a center thereof for concealing a nipple shape, which first greater than a second thickness at and around a periphery thereof for blending with a breast surface, the nipple cover gradually tapering in thickness from the first thickness to the second thickness for smoothly blending with a breast surface, and wherein a curvature of the outer surface is a substantially smooth continuous curvature from the center to the periphery thereof.
- 2. (Original) The device of claim 1 wherein said nipple cover is manufactured from a flexible plastic material.
- 3. (Original) The device of claim 1 wherein said nipple cover has the shape of a hollow hemisphere.
- 4. (Currently Amended) The device of claim 3 wherein said nipple cover is substantially thin is for covering at least about one half of a woman's breast and less than the whole breast.



Preliminary Amendment March 22, 2005

5. (Original) The device of claim 1, further comprising an absorbent pad disposed on said inner surface of said cover.

BI

- 6. (Original) The device of claim 1, further comprising a plurality of holes disposed through said cover.
- 7. (Currently Amended) The device of claim 1, wherein said cover tapers in thickness near an edge of said cover the second thickness at the periphery is substantially less than one half of the first thickness proximate the center.
- 8. (Currently Amended) The device of claim 1, wherein said <u>device is reusable and has adhesive which</u> may be removed after each use of said cover.
 - 9. (Canceled).
 - 10. (Canceled).
- 11. (New) A method of covering a nipple on a human breast, the nipple cover having a center and comprising a flexible material for conforming to a human breast, the method comprising the steps of:

placing the nipple cover directly on a human breast so as to cover at least about one half and less than all of the breast, with the center of the cover proximate the nipple; the nipple cover having a first thickness proximate the center and a second



Preliminary Amendment March 22, 2005

thickness proximate a periphery thereof, and the thickness of the nipple cover gradually tapering from the first thickness to the second thickness, wherein the method further includes the step of bending the nipple cover on the breast such that the periphery of the cover blends smoothly with a curved portion of the breast while concealing a nipple shape.

01 B.

- 12. (New) The device of claim 1, wherein the device is unitarily formed between the inner and outer surfaces.
- 13. (New) The method of claim 11, further comprising a step of selecting a nipple cover from a plurality of colors of nipple covers and from a plurality of shapes and sizes for covering at least about one half of the breast and less than all of the breast.
- 14. (New) A set of nipple covers for covering a portion of a human breast, each said nipple cover comprising a flexible material, being formed substantially in the shape of a hollow curved surface and having an inner surface and an outer surface, wherein said outer surface is substantially smooth, and wherein the nipple cover has a first thickness proximate a center thereof greater than a second thickness at and around a periphery thereof, the nipple cover gradually tapering in thickness from the first thickness to the second thickness for smoothly blending with a breast surface, and the outer surface of the nipple cover having a substantially smooth continuous curvature from the center to the periphery thereof.
- 15. (New) The method of claim 11, wherein in the step of placing, the cover is affixed to the human breast by adhesive.

Sent By: LAW OFFICES;

Preliminary Amendment March 22, 2005

- 16. (New) The device of claim 14, further comprising a set of devices the same as each other except differing in at least one of size and color.
- 17. (New) The device of claim 16, wherein the set of devices differs in color for matching a skin tone of breast.
 - 18. (New) The device of claim 16, wherein the set of devices differs in shape.
- 19. (New) The device of claim 1, wherein the material comprises a rubber-like material.
- 20. (New) The device of claim 14, wherein the first thickness is for covering up the nipple and the second thickness is for blending with the skin.
- 21. (New) The method of claim 11 further comprising a step of selecting the nipple cover with a color matching a skin color of the breast upon which the cover is placed.
- 22. (New) The method of claim 13, further comprising a step of wearing clothing in contact with an outer surface of the nipple cover without a brassiere.